






6,7-28m

fix

6,07x6m

360°

75%

m	6,7	11	15,2	21,6	28	m
2,8	25	12	12			2,8
3	22	12	12	8		3
3,5	20	12	12	8		3,5
4	17	12	12	8	6,5	4
4,5	15	12	12	8	6,5	4,5
5		12	12	8	6,5	5
5,5		12	12	8	6,5	5,5
6		12	11,5	8	6,5	6
6,5		11,3	10,6	8	6,5	6,5
7		10,15	9,9	7,85	6,5	7
8		7,9	7,8	7,1	5,9	8
9		6,2	6,1	6,35	5,35	9
10			4,9	5,45	4,8	10
11			4	4,6	4,3	11
12			3,25	3,85	3,85	12
13			2,65	3,3	3,5	13
14				2,8	3,1	14
15				2,35	2,7	15
16				2	2,35	16
17				1,7	2	17
18				1,45	1,75	18
19				1,2	1,5	19
20					1,3	20
21					1,15	21
22					0,95	22
23					0,8	23
24					0,7	24
25					0,6	25
26					0,5	26

25 t**Kato CR 250****nordicCrane**
GROUP**28m****5,4/8,2m****fix****6,07x6m****360°****75%**

°	m	5,4		m	5,4		m	5,4		°
		5°			25°			45°		
81	5,2	3	7	2,5	8,3	1,55	81			
77,7	7,2	3	8,9	2,5	10	1,55	77,7			
75	8,9	3	10,4	2,3	11,4	1,5	75			
73	10	3	11,5	2,14	12,4	1,46	73			
70	11,7	2,6	13,1	1,94	13,9	1,42	70			
65	14,3	2,15	15,7	1,69	16,3	1,35	65			
60	16,8	1,83	18,1	1,49	18,7	1,3	60			
55	19,2	1,55	20,3	1,35	20,8	1,25	55			
54	19,6	1,45	20,7	1,32	21,2	1,22	54			
52	20,4	1,29	21,5	1,19	22	1,18	52			
50	21,2	1,14	22,3	1,05	22,7	1,08	50			
48	22	1,01	23	0,94	23,3	0,99	48			
45	23,2	0,82	24,1	0,77			45			
40	25	0,58	25,8	0,54			40			
35	26,6	0,4	27,2	0,38			35			

°	m	8,2		m	8,2		m	8,2		°
		5°			25°			45°		
81	6	2	8,7	1,2	10,5	0,8	81			
77	8,7	2	11,1	1,2	12,7	0,8	77			
75	10	2	12,2	1,2	13,7	0,78	75			
72	11,9	1,81	14	1,2	15,3	0,75	72			
70	13	1,71	15,1	1,18	16,4	0,74	70			
65	15,9	1,49	17,8	1,12	18,9	0,72	65			
60	18,6	1,33	20,3	1,05	21,3	0,69	60			
55	21,2	1,2	22,7	0,98	23,5	0,67	55			
53	22,1	1,14	23,6	0,95	24,3	0,66	53			
50	23,5	0,96	24,9	0,77	25,4	0,65	50			
47	24,7	0,8	26,1	0,63	26,5	0,64	47			
45	25,6	0,69	26,8	0,56			45			
40	27,5	0,49	28,5	0,39			40			
35	29,1	0,33					35			